





Scherengitter zur Passagierführung

- > Im Terminal oder auf dem Vorfeld / Straßen
- Für kurzfristige Vollabsperrungen
- > Baumaßnahmen Umleitungen
- > Straßen-Vollabsperrungen
- Leicht auf- und abbaubar
- ➤ Länge 4...13 Meter erhältlich



Produktion Via Guide GmbH

Rönkhauser Trs. 9, D-59757 Arnsberg www.viaguide.de Tel. +49 2932 477-177 Email info@viaguide.de

Vertrieb WEYER GmbH

Schönbachstr. 2, D-86919 Utting am Ammersee www.weyer.aero
Tel. +49 8806 958350
Email info@weyer.aero



Via Guide Scherengitter

Hochwertige flexible Abtrennung aus Aluminium-Elementen mit feststellbaren Rollen. Minimaler Platzbedarf im zusammengeschobenen Zustand, kann sehr leicht von einer Person auseinandergezogen werden.

Elemente können aneinander gehängt werden, dadurch verlängerte Wegführungen oder auch ums Eck geführt werden.

Optionen:

- Länge ab 4 Meter bis 13 Meter
- Bedruckbare Folien aufspannbar (Windlast beachten)
- Selbstreflektierende 3M-Folie für Außenbereich
- Magnetpfosten für stabile Befestigung im Termianl an einem Punkt ohne Bohrung.

Erhältliche Größen und Gewichte:

Bezeichnung	Auszugslänge	Gewicht	Diagramm
Barrier 3A	4.050 mm	35 kg	$\Diamond \Diamond \Diamond$
Barrier 4A	5.380 mm	45 kg	$\Diamond\Diamond\Diamond\Diamond$
Barrier 5A	6.700 mm	53 kg	$\Diamond\Diamond\Diamond\Diamond\Diamond$
Barrier 6A	8.030 mm	64 kg	$\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$
Barrier 7A	9.330 mm	74 kg	$\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$
Barrier 8A	10.650 mm	85 kg	$\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$
Barrier 9A	11.980 mm	95 kg	$\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$
Barrier 10A	13.300 mm	106 kg	$\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$
Barrier 6C	6.700 mm/	90 kg	$\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$
	Höhe 1.800 mm	· ·	Als Sichtschutz möglich für
	Breite 1.200 mm		Innenbereich. Ohne Banner.
Magnetpfosten			Zur Befestigung im Terminal
Reflextionsfolie			Je Auszugselement







